ELSEVIER

Brain Research 843 (1999) 202–203

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Ambrosini, A., see Rossini, P.M. (843) 161
Aoto, K., see Arima, K. (843) 53
Arima, K., Hirai, S., Sunohara, N., Aoto, K., Izumiyama, Y., Uéda, K., Ikeda, K. and Kawai, M.
Cellular co-localization of phosphorylated tau- and NACP/α-synuclein-epitopes in Lewy bodies in sporadic Parkinson's disease and in dementia with Lewy bodies (843) 53
Aumont, N., see Beffert, U. (843) 87

Babiloni, C., see Rossini, P.M. (843) 161
Babiloni, F., see Rossini, P.M. (843) 161
Baik, E.J., Kim, E.J., Lee, S.H. and Moon, C.-H.
Cyclooxygenase-2 selective inhibitors aggravate kainic acid induced seizure and neuronal cell death in the hippocampus (843) 118
Barkley, G.L., see Bowyer, S.M. (843) 71
Barkley, G.L., see Bowyer, S.M. (843) 79
Beffert, U., Cohn, J.S., Petit-Turcotte, C., Tremblay, M., Aumont, N., Ramassamy, C., Davignon, J. and Poirier, J.
Apolipoprotein E and β-amyloid levels in the hippocampus and frontal cortex of Alzheimer's disease subjects are disease-related and apolipoprotein E genotype dependent (843) 87
Berg-Johnsen, J., see Vinje, M.L. (843) 199
Bernocchi, G., see Conforti, E. (843) 1
Bian, D., see Kovelowski, C.J. (843) 12
Bowyer, S.M., Okada, Y.C., Papuashvili, N., Moran, J.E., Barkley, G.L., Welch, K.M.A. and Tepley, N.
Analysis of MEG signals of spreading cortical depression with propagation constrained to a rectangular cortical strip. I. Lissencephalic rabbit model (843) 71
Bowyer, S.M., Tepley, N., Papuashvili, N., Kato, S., Barkley, G.L., Welch, K.M.A. and Okada, Y.C.
Analysis of MEG signals of spreading cortical depression with propagation constrained to a rectangular cortical strip. II. Gyrencephalic swine model (843) 79
Butcher, S.P., see Henshall, D.C. (843) 105

Carducci, F., see Rossini, P.M. (843) 161
Cohn, J.S., see Beffert, U. (843) 87
Conforti, E., Torti, C., Malacrida, A.R. and Bernocchi, G.
Mature and developing visual system of *Ceratitis capitata* (Diptera, Tephritidae): histochemical evidence of nitric oxide synthase in the wild type and the *white eye* mutant strains (843) 1

Dadfar, F., see Schäfer, S.S. (843) 36
Davignon, J., see Beffert, U. (843) 87
Duncan, G.E., Miyamoto, S., Leipzig, J.N. and Lieberman, J.A.
Comparison of brain metabolic activity patterns induced by ketamine, MK-801 and amphetamine in rats: support for NMDA receptor involvement in responses to subanesthetic dose of ketamine (843) 171

Eulitz, D., see Schmidt, K. (843) 145

Fischer, M., see Schäfer, S.S. (843) 36
Fujiwara, R., see Miyahara, S. (843) 130

Gafni, M., see Keren, O. (843) 193
Güner, G., see İşlekel, H. (843) 18

Härtel, J., see Schäfer, S.S. (843) 36
Haupts, S., see Schäfer, S.S. (843) 36
Henshall, D.C., Butcher, S.P. and Sharkey, J.
A rat model of endothelin-3-induced middle cerebral artery occlusion with controlled reperfusion (843) 105
Hirai, S., see Arima, K. (843) 53
Huang, X.-F., see Wang, H. (843) 184

Ikeda, K., see Arima, K. (843) 53
İşlekel, H., İşlekel, S., Güner, G. and Özdamar, N.
Evaluation of lipid peroxidation, cathepsin L and acid phosphatase activities in experimental brain ischemia–reperfusion (843) 18
İşlekel, S., see İşlekel, H. (843) 18
Itoh, M., see Meng, S.Z. (843) 136
Izumiyama, Y., see Arima, K. (843) 53

J. Hruby, V., see Kovelowski, C.J. (843) 12

Kato, S., see Bowyer, S.M. (843) 79
Kawai, M., see Arima, K. (843) 53
Keren, O., Gafni, M. and Sarne, Y.
Potentiation of transmitter release from NMB human neuroblastoma cells by kappa-opioids is mediated by N-type voltage-dependent calcium channels (843) 193
Kettenmann, H., see Schmidt, K. (843) 145
Kim, E.J., see Baik, E.J. (843) 118
Kirchhoff, F., see Schmidt, K. (843) 145
Komori, T., see Miyahara, S. (843) 130
Kossut, M., see Siucinska, E. (843) 62
Kovelowski, C.J., Bian, D., J. Hruby, V., Lai, J., Ossipov, M.H. and Porreca, F.
Selective opioid δ agonists elicit antinociceptive supraspinal/spinal synergy in the rat (843) 12

Lai, J., see Kovelowski, C.J. (843) 12
Lee, S.H., see Baik, E.J. (843) 118
Leipzig, J.N., see Duncan, G.E. (843) 171
Lieberman, J.A., see Duncan, G.E. (843) 171

Malacrida, A.R., see Conforti, E. (843) 1
Matsui, T. and Taketo, A.
Induction of catecholamine synthesis in human neuroblastoma cells by replication inhibitors and sodium butyrate (843) 112
Meng, S.Z., Ozawa, Y., Itoh, M. and Takashima, S.
Developmental and age-related changes of dopamine transporter, and dopamine D1 and D2 receptors in human basal ganglia (843) 136
Miyahara, S., Komori, T., Fujiwara, R., Shizuya, K., Yamamoto, M., Ohmori, M. and Okazaki, Y.
Effects of restraint stress on α_1 adrenoceptor mRNA expression in the hypothalamus and midbrain of the rat (843) 130
Miyamoto, S., see Duncan, G.E. (843) 171
Mize, R.R.
Calbindin 28kD and parvalbumin immunoreactive neurons receive different patterns of synaptic input in the cat superior colliculus (843) 25
Moon, C.-H., see Baik, E.J. (843) 118
Moran, J.E., see Bowyer, S.M. (843) 71

Ohmori, M., see Miyahara, S. (843) 130
Okada, Y.C., see Bowyer, S.M. (843) 71
Okada, Y.C., see Bowyer, S.M. (843) 79
Okazaki, Y., see Miyahara, S. (843) 130
Olkowski, J.L., see Thomas, A.G. (843) 48
Onorati, P., see Rossini, P.M. (843) 161
Ossipov, M.H., see Kovelowski, C.J. (843) 12
Ozawa, Y., see Meng, S.Z. (843) 136
Özdamar, N., see İşlekel, H. (843) 18

ELSEVIER

Brain Research 843 (1999) 202–203

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Ambrosini, A., see Rossini, P.M. (843) 161
Aoto, K., see Arima, K. (843) 53
Arima, K., Hirai, S., Sunohara, N., Aoto, K., Izumiyama, Y., Uéda, K., Ikeda, K. and Kawai, M.
Cellular co-localization of phosphorylated tau- and NACP/α-synuclein-epitopes in Lewy bodies in sporadic Parkinson's disease and in dementia with Lewy bodies (843) 53
Aumont, N., see Beffert, U. (843) 87

Babiloni, C., see Rossini, P.M. (843) 161
Babiloni, F., see Rossini, P.M. (843) 161
Baik, E.J., Kim, E.J., Lee, S.H. and Moon, C.-H.
Cyclooxygenase-2 selective inhibitors aggravate kainic acid induced seizure and neuronal cell death in the hippocampus (843) 118
Barkley, G.L., see Bowyer, S.M. (843) 71
Barkley, G.L., see Bowyer, S.M. (843) 79
Beffert, U., Cohn, J.S., Petit-Turcotte, C., Tremblay, M., Aumont, N., Ramassamy, C., Davignon, J. and Poirier, J.
Apolipoprotein E and β-amyloid levels in the hippocampus and frontal cortex of Alzheimer's disease subjects are disease-related and apolipoprotein E genotype dependent (843) 87
Berg-Johnsen, J., see Vinje, M.L. (843) 199
Bernocchi, G., see Conforti, E. (843) 1
Bian, D., see Kovelowski, C.J. (843) 12
Bowyer, S.M., Okada, Y.C., Papuashvili, N., Moran, J.E., Barkley, G.L., Welch, K.M.A. and Tepley, N.
Analysis of MEG signals of spreading cortical depression with propagation constrained to a rectangular cortical strip. I. Lissencephalic rabbit model (843) 71
Bowyer, S.M., Tepley, N., Papuashvili, N., Kato, S., Barkley, G.L., Welch, K.M.A. and Okada, Y.C.
Analysis of MEG signals of spreading cortical depression with propagation constrained to a rectangular cortical strip. II. Gyrencephalic swine model (843) 79
Butcher, S.P., see Henshall, D.C. (843) 105

Carducci, F., see Rossini, P.M. (843) 161
Cohn, J.S., see Beffert, U. (843) 87
Conforti, E., Torti, C., Malacrida, A.R. and Bernocchi, G.
Mature and developing visual system of *Ceratitis capitata* (Diptera, Tephritidae): histochemical evidence of nitric oxide synthase in the wild type and the *white eye* mutant strains (843) 1

Dadfar, F., see Schäfer, S.S. (843) 36
Davignon, J., see Beffert, U. (843) 87
Duncan, G.E., Miyamoto, S., Leipzig, J.N. and Lieberman, J.A.
Comparison of brain metabolic activity patterns induced by ketamine, MK-801 and amphetamine in rats: support for NMDA receptor involvement in responses to subanesthetic dose of ketamine (843) 171

Eulitz, D., see Schmidt, K. (843) 145

Fischer, M., see Schäfer, S.S. (843) 36
Fujiwara, R., see Miyahara, S. (843) 130

Gafni, M., see Keren, O. (843) 193
Güner, G., see İşlekel, H. (843) 18

Härtel, J., see Schäfer, S.S. (843) 36
Haupts, S., see Schäfer, S.S. (843) 36
Henshall, D.C., Butcher, S.P. and Sharkey, J.
A rat model of endothelin-3-induced middle cerebral artery occlusion with controlled reperfusion (843) 105
Hirai, S., see Arima, K. (843) 53
Huang, X.-F., see Wang, H. (843) 184

Ikeda, K., see Arima, K. (843) 53
İşlekel, H., İşlekel, S., Güner, G. and Özdamar, N.
Evaluation of lipid peroxidation, cathepsin L and acid phosphatase activities in experimental brain ischemia–reperfusion (843) 18
İşlekel, S., see İşlekel, H. (843) 18
Itoh, M., see Meng, S.Z. (843) 136
Izumiyama, Y., see Arima, K. (843) 53

J. Hruby, V., see Kovelowski, C.J. (843) 12

Kato, S., see Bowyer, S.M. (843) 79
Kawai, M., see Arima, K. (843) 53
Keren, O., Gafni, M. and Sarne, Y.
Potentiation of transmitter release from NMB human neuroblastoma cells by kappa-opioids is mediated by N-type voltage-dependent calcium channels (843) 193
Kettenmann, H., see Schmidt, K. (843) 145
Kim, E.J., see Baik, E.J. (843) 118
Kirchhoff, F., see Schmidt, K. (843) 145
Komori, T., see Miyahara, S. (843) 130
Kossut, M., see Siucinska, E. (843) 62
Kovelowski, C.J., Bian, D., J. Hruby, V., Lai, J., Ossipov, M.H. and Porreca, F.
Selective opioid δ agonists elicit antinociceptive supraspinal/spinal synergy in the rat (843) 12

Lai, J., see Kovelowski, C.J. (843) 12
Lee, S.H., see Baik, E.J. (843) 118
Leipzig, J.N., see Duncan, G.E. (843) 171
Lieberman, J.A., see Duncan, G.E. (843) 171

Malacrida, A.R., see Conforti, E. (843) 1
Matsui, T. and Taketo, A.
Induction of catecholamine synthesis in human neuroblastoma cells by replication inhibitors and sodium butyrate (843) 112
Meng, S.Z., Ozawa, Y., Itoh, M. and Takashima, S.
Developmental and age-related changes of dopamine transporter, and dopamine D1 and D2 receptors in human basal ganglia (843) 136
Miyahara, S., Komori, T., Fujiwara, R., Shizuya, K., Yamamoto, M., Ohmori, M. and Okazaki, Y.
Effects of restraint stress on α_1 adrenoceptor mRNA expression in the hypothalamus and midbrain of the rat (843) 130
Miyamoto, S., see Duncan, G.E. (843) 171
Mize, R.R.
Calbindin 28kD and parvalbumin immunoreactive neurons receive different patterns of synaptic input in the cat superior colliculus (843) 25
Moon, C.-H., see Baik, E.J. (843) 118
Moran, J.E., see Bowyer, S.M. (843) 71

Ohmori, M., see Miyahara, S. (843) 130
Okada, Y.C., see Bowyer, S.M. (843) 71
Okada, Y.C., see Bowyer, S.M. (843) 79
Okazaki, Y., see Miyahara, S. (843) 130
Olkowski, J.L., see Thomas, A.G. (843) 48
Onorati, P., see Rossini, P.M. (843) 161
Ossipov, M.H., see Kovelowski, C.J. (843) 12
Ozawa, Y., see Meng, S.Z. (843) 136
Özdamar, N., see İşlekel, H. (843) 18

Papuashvili, N., see Bowyer, S.M. (843) 71
Papuashvili, N., see Bowyer, S.M. (843) 79
Petit-Turcotte, C., see Beffert, U. (843) 87
Poirier, J., see Beffert, U. (843) 87
Porreca, F., see Kovelowski, C.J. (843) 12

Ramassamy, C., see Beffert, U. (843) 87
Ramirez, V.D., see Smith, S. (843) 95
Rossini, P.M., Babiloni, C., Babiloni, F., Ambrosini, A., Onorati, P., Carducci, F. and Urbano, A.
"Gating" of human short-latency somatosensory evoked cortical responses during execution of movement. A high resolution electroencephalography study (843) 161
Røste, G.K., see Vinje, M.L. (843) 199

Sarne, Y., see Keren, O. (843) 193
Schäfer, S.S., Dadfar, F., Härtel, J., Haupts, S. and Fischer, M.
The period of latency before a muscle receptor generates an action potential as a response to a muscle stretch (843) 36
Schmidt, K., Eulitz, D., Veh, R.W., Kettenmann, H. and Kirchhoff, F.
Heterogeneous expression of voltage-gated potassium channels of the *shaker* family (Kv1) in oligodendrocyte progenitors (843) 145
Sharkey, J., see Henshall, D.C. (843) 105
Shizuya, K., see Miyahara, S. (843) 130
Siucinska, E., Kossut, M. and Stewart, M.G.
GABA immunoreactivity in mouse barrel field after aversive and appetitive classical conditioning training involving facial vibrissae (843) 62
Slusher, B.S., see Thomas, A.G. (843) 48
Smith, S. and Ramirez, V.D.
Cellular localization of dopamine-releasing protein (DARP) in rat C6 glioma and primary mesencephalic cell cultures (843) 95
Stewart, M.G., see Siucinska, E. (843) 62
Storlien, L.H., see Wang, H. (843) 184
Sunohara, N., see Arima, K. (843) 53

Takashima, S., see Meng, S.Z. (843) 136
Taketo, A., see Matsui, T. (843) 112
Tepley, N., see Bowyer, S.M. (843) 71
Tepley, N., see Bowyer, S.M. (843) 79
Thomas, A.G., Olkowski, J.L., Vornov, J.J. and Slusher, B.S.
Toxicity induced by a polyglutamated folate analog is attenuated by NAALADase inhibition (843) 48
Torti, C., see Conforti, E. (843) 1
Tremblay, M., see Beffert, U. (843) 87

Uéda, K., see Arima, K. (843) 53
Urbano, A., see Rossini, P.M. (843) 161

Valø, E.T., see Vinje, M.L. (843) 199
Veh, R.W., see Schmidt, K. (843) 145
Vinje, M.L., Valø, E.T., Røste, G.K. and Berg-Johnsen, J.
Measured increase in intracellular Ca^{2+} during stimulated release of endogenous glutamate from human cerebrocortical synaptosomes (843) 199
Vornov, J.J., see Thomas, A.G. (843) 48

Wang, H., Storlien, L.H. and Huang, X.-F.
Influence of dietary fats on c-Fos-like immunoreactivity in mouse hypothalamus (843) 184
Welch, K.M.A., see Bowyer, S.M. (843) 71
Welch, K.M.A., see Bowyer, S.M. (843) 79

Yamamoto, M., see Miyahara, S. (843) 130